Multi-Conductor Boat Cable

Round and Flat Triplex Boat Cable

Polar Wire's exclusive UL Listed premium multi-conductor **Boat Cable** is designed for outstanding performance and corrosion protection in harsh marine environments.

100% copper Class K stranding provides exceptional flexibility, eases installation and reduces fatigue from vibration and flexing.

Features

- UL listed Tinned Copper Boat Cable
- 10, 12, 14, and 16 AWG **Triplex** with black, white, and green conductor colors
- 6, 8, 10, 12, 14, 16, and 18 AWG **DC Duplex** with red/black or red/yellow conductors
- Ultra-flexible Class K fine stranding
- Tinned for protection against corrosion and electrolysis
- Designed specifically for easier handling and installation in cramped spaces
- Opt for round cable for best all-direction bending ability, or choose the space saving flat profile for tight spaces and stacking
- Flat profile is constructed without fillers to facilitate jacket removal and wire stripping
- Resists saltwater, oil and gasoline, heat, sunlight, abrasion
- 600 volts up to 221°F (105°C) dry, 167°F (75°C) wet
- · Flexible in cold conditions
- Manufactured by Polar Wire in the USA



Marine grade **Triplex Boat Cable** is configured in round and flat profiles with black, white, and green conductors and white TPE outer jacket. 100% copper Class K fine stranded conductors are ultra flexible and tinned for maximum corrosion resistance and long performance. Construction meets and exceeds UL 1426, CSA, and ABYC standards.

Rated for 600 volts, 105°C dry, 75°C wet. Durable jackets resist salt water, oil, gas, sunlight, heat, and abrasion.

Typical Legend

POLAR WIRE BOAT CABLE E321438 (UL) 10 AWG 3/COND VW-1 600V 105C DRY 75C WET OIL RESISTANT BC5W2 MADE IN USA ROHS COMPLIANT — CSA TEW 105C OR AWM I A/B 105C 600V FT1 265576

Flat Black/White/Green Triplex

| Part Number 100' Spool | Part Number 500' Spool | Conductor AWG/Qty |
|---------------------------|---------------------------|----------------------|
| BLACK, WHITE, A | AND GREEN COND | UCTORS |
| BCF163-100 | BCF163-500 | 16/3 |
| BCF143-100 | BCF143-500 | 14/3 |
| BCF123-100 | BCF123-500 | 12/3 |
| BCF103-100 | BCF103-500 | 10/3 |
| | | |



| Part Number 100' Spool | Part Number 500' Spool | Conductor AWG/Qty |
|------------------------------------|---------------------------|----------------------|
| BLACK, WHITE, AND GREEN CONDUCTORS | | |
| BCR163-100 | BCR163-500 | 16/3 |
| BCR143-100 | BCR143-500 | 14/3 |
| BCR123-100 | BCR123-500 | 12/3 |
| BCR103-100 | BCR103-500 | 10/3 |



TO 105°C DRY, 75°C WET



10 AWG FLAT





CABLE E321438 (UL) 10 AWG 3/COND

POLAR WIRE BOAT CABLE 6321438 (UL) 10 AWG 3/COND

13

Round and Flat DC Duplex Boat Cable

Marine grade **DC Duplex Boat Cable** is constructed with 100% copper ultra flexible Class K fine stranding, tinned for maximum corrosion resistance and long performance. **DC Duplex** is configured in flat and round profiles with ABYC recommended red insulated (DC positive) and yellow insulated (DC negative) conductors, or in flat profile with red and black conductors. White TPE outer jacket. Construction meets and exceeds UL 1426, CSA, and ABYC standards.

Rated 600 volts, 105°C dry, 75°C wet. Resists vibration and flexing fatigue, oil, gas, salt water, sun, heat, and abrasion. Manufactured in the USA by Polar Wire.

Typical Legend

POLAR WIRE BOAT CABLE E321438 (UL) 8 AWG 2/COND VW-1 600V 105C DRY 75C WET OIL RESISTANT BC5W2 MADE IN USA ROHS COMPLIANT — CSA TEW 105C OR AWM







Flat Red/Black DC Duplex

| Part Number 100' Spool | Part Number 500' Spool | Conductor AWG/Qty |
|---------------------------|---------------------------|----------------------|
| RED AND BLACK CO | ONDUCTORS | |
| BCF182RB-100 | BCF182RB-500 | 18/2 |
| BCF162RB-100 | BCF162RB-500 | 16/2 |
| BCF142RB-100 | BCF142RB-500 | 14/2 |
| BCF122RB-100 | BCF122RB-500 | 12/2 |
| BCF102RB-100 | BCF102RB-500 | 10/2 |
| BCF82RB-100 | - | 8/2 |
| BCF62RB-100 | - | 6/2 |



8 AWG FLAT

Flat Safety Yellow/Red DC Duplex

| Part Number 100' Spool | Part Number 500' Spool | Conductor AWG/Qty | |
|---------------------------|---------------------------|----------------------|--|
| YELLOW AND RED CONDUCTORS | | | |
| BCF182YR-100 | BCF182YR-500 | 18/2 | |
| BCF162YR-100 | BCF162YR-500 | 16/2 | |
| BCF142YR-100 | BCF142YR-500 | 14/2 | |
| BCF122YR-100 | BCF122YR-500 | 12/2 | |
| BCF102YR-100 | BCF102YR-500 | 10/2 | |
| BCF82YR-100 | - | 8/2 | |
| BCF62YR-100 | - | 6/2 | |



10 AWG FLAT

Round Safety Yellow/Red DC Duplex

| Part Number 100' Spool | Part Number 500' Spool | Conducto AWG/Qty |
|---------------------------|---------------------------|---------------------|
| YELLOW AND RED | CONDUCTORS | |
| BCR182YR-100 | BCR182YR-500 | 18/2 |
| BCR162YR-100 | BCR162YR-500 | 16/2 |
| BCR142YR-100 | BCR142YR-500 | 14/2 |
| BCR122YR-100 | BCR122YR-500 | 12/2 |
| BCR102YR-100 | BCR102YR-500 | 10/2 |



10 AWG ROUND



BOA